












## Part 1 – Overview

<b>Assessment No.</b>	COSHH 022	<b>Assessment Date</b>	December 2021	<b>Review Period</b>	12 Months
<b>Assessor Name</b>	Jonathan Ely	<b>Position</b>	Health & Safety Advisor		
<b>Product Name</b>	Cherry Air Charm	<b>Manufacturer Details</b>	Bower		
<b>Location of Use</b>	Internally – building via electrical air freshener system.	<b>Description of activity or work process that the product is used</b>	Air freshener. Fitted into electric air freshener system.		

## Part 2 – Evaluation

<b>Persons at Risk</b>	Employees	✓	Contractors	✓	Visitors	✓	Public	✓	Other	✓
<b>Route of Exposure</b>	Inhalation	✓	Ingestion	✓	Skin Contact	✓	Eye Contact	✓	Injection	
<b>Hazard Symbols</b>										
										
Explosive	Flammable	Oxidising	Corrosive	Acute toxicity	Hazardous to the environment	Health hazard	Serious health hazard	Gas under pressure		
<b>Hazard Statements</b>					<b>Precautionary Statements</b>					
H412 Harmful to Aquatic Life with Long Lasting Effects					P281 Use Personal Protective Equipment as required, P312 If unwell, consult poison centre or physician, P501 Dispose of contents/container to hazardous or special waste collection site in accordance with local/regional/national or international regulations.					















## Part 3 – Control Measures

First Aid Measures			
Inhalation	Remove casualty to fresh air; ensure rest and warmth. Seek medical advice.		
Ingestion	<b>NEVER INDUCE VOMITING.</b> If conscious, give plenty of water. If necessary, seek medical advice.		
Skin Contact	Clean areas affected with soap and plenty of water. Remove contaminated clothing, to be washed thoroughly before re-using.		
Eye Contact	Wash out eye thoroughly with plenty of water until irritation subsides. Consult an eye specialist/ophthalmologist.		
Injection	Nil		
General	Nil		
Fire Precautions	<p><b>Extinguishing media:</b> to suit local surroundings (e.g. water spray, foam, carbon dioxide, dry powder).</p> <p><b>Special hazards:</b> non-combustible, non-flammable. Carbon and metal oxides may be released in a fire.</p> <p><b>Advice for fire fighters:</b> Wear self-contained breathing apparatus if necessary.</p>	<p><b>Spillage (accidental release)</b></p>	<p>Avoid generation of dust. Use suitable protective equipment. Do not allow to get into waste water or waterways; if this occurs, inform the relevant water authority at once.</p> <p>Avoid dry sweeping; use water spraying or vacuum cleaning systems to prevent airborne dust generation. Label container and dispose of as prescribed.</p>
Handling	<p>Handle in accordance with good hygiene and safety practice. Avoid generation of dust.</p>	<p><b>Storage</b></p>	<p>Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials</p>

Workplace Exposure Limits (WEL)				
Ingredient	8-hour (long term exposure limit)		15-minute (short term exposure limit)	
	Dipropylene glycol monomethyl ether	50 ppm	308 mg/m <sup>3</sup>	-
Active Ingredients (if not identified with a WEL)				
Benzaldehyde				
Diethyl malonate				
2-Tert-Butylcyclohexyl acetate				
(R)-P-Mentha-1,8-Diene				



Personal Protective Equipment											
											
Glasses	Goggles	Face Shield	Dust Mask	Half Mask RPE	Full Face RPE	Air Fed RPE / SCBA	Gloves	Boots	Apron	Coveralls	Lab / Chefs Coat
EN166	EN166		FFP3	FFP3			EN374				
<b>Other:</b>	Clothing protection and boots determined by local working conditions										
<b>Physical State of Product:</b>	Liquid										
<b>Disposal</b>	Avoid dry sweeping; use water spraying or vacuum cleaning systems to prevent airborne dust generation. Label container and dispose of as prescribed.					<b>Transport</b>	Do not transport in open containers. Do not transport off premise.				
<b>Local Exhaust Ventilation</b>	Only use in well ventilated areas.					<b>Monitoring Requirements</b>	Nil				
<b>Training Requirements</b>	Only properly trained and authorised personnel shall handle the substance. Communicate all relevant COSHH assessments, risk assessments and method statements					<b>Additional Controls</b>	Nil				



## Part 4 - Completion

Additional Comments

<b>Endorsed By:</b>		<b>Position:</b>		<b>Date:</b>	
---------------------	--	------------------	--	--------------	--

<b>Reviewed By:</b>		<b>Position:</b>		<b>Date:</b>	
<b>Reviewed By:</b>		<b>Position:</b>		<b>Date:</b>	
<b>Reviewed By:</b>		<b>Position:</b>		<b>Date:</b>	
<b>Reviewed By:</b>		<b>Position:</b>		<b>Date:</b>	